

All-in-one solution



MP 2550B/MP 3350B/MP 4000B/MP 5000B Aficio™

Power up your productivity

Are you looking for fast, expandable and easy to use copiers? The MP 2550B/3350B/4000B/5000B are the answer to your needs. Highly productive with up to 50 prints per minute, expandable with a printer, scanner, fax or finisher and customer-friendly due to the intuitive touch panel design. Whatever your office requirements are, these devices are up for the challenge.

- High productivity: 25 to 50 pages per minute.
- Expandable and cost-efficient: upgrade as your needs change.
- Easy-to-read colour touch-panel.
- Handle a variety of media: normal, heavy or special paper, A5 to A3.
- Professional finishing: punch, staple or create booklets.



High performance in black and white



NON-STOP PRINTING

You need documents fast and in high quantities? With the MP 2550B/3350B/4000B/5000B, prints come out instantly due to short warm-up times and fast first output speeds. The products' large maximum paper capacities of up to 4,400 sheets keep you going. Productivity can be increased even more because you can reload empty trays while printing.



EXPAND AS YOU LIKE

Do you need more than a copier? Transform the MP 2550B/3350B/4000B/5000B to a true multifunctional. The optional scanner scans documents to e-mail, personal directory, network folder or FTP. These capabilities improve your document workflow. Add value with the printer option. Need to fax? Simply upgrade your copier with a fax device and enhance your communication capabilities.



EASY TO USE

A priority at Gestetner is to provide user-friendly devices. The ease and convenience of operating the MP 2550B/3350B/4000B/5000B prove this:

- Change settings via the large, easy-to-read colour touch-panel.
- See your most frequently used functions at a glance on a clear display.
- Troubleshoot in seconds with animated user guidance.



FLEXIBLE

You need a product that can handle many different media types? You can print covers and flyers on heavy paper up to 157 g/m² (MP 2550B/3350B) or 220 g/m² (MP 4000B/5000B). Or print on your preferred envelopes, labels, letterheads and pre-punched paper, from A5 to A3.



PROFESSIONAL DOCUMENT FINISHING

Do you want to add that special finishing touch? The MP 2550B/3350B/4000B/5000B can punch, staple or create booklets. All you have to do is expand your copier with a finisher of your choice, such as a booklet finisher. It will save you time and costs, because you do not need to outsource.



ENVIRONMENTALLY FRIENDLY

At Gestetner we help you lower the environmental impact in your office as well as lowering your costs. Our products have eco-friendly and money saving features such as fast duplex printing and copying, ultra low sleep mode and increased toner yield. Thus saving paper, time, costs and energy and reducing waste. In addition, Gestetner products are Energy star compliant. This means less CO₂ is produced in providing the energy need to run Gestetner devices.

COPIER

Copying process:	Single laser beam scanning & electro-photographic printing
Copy speed:	25/33/40/50 copies per minute
Resolution:	600 dpi
Warm-up time:	14/14/13/13 seconds
First output speed:	4.5/4.5/4.1/3.5 seconds
Memory:	Maximum: 512 MB + 40 GB HDD
Paper input capacity:	Maximum: 3,100/3,100/4,400/4,400 sheets
Paper output capacity:	Maximum: 1,625/1,625/3,625/3,625 sheets
Paper size:	A5 - A3
Paper weight:	52 - 157/157/220/220 g/m ²
Dimensions (W x D x H):	MP 2550B/3350B: 570 x 653 x 709 mm MP 4000B/5000B: 670 x 677 x 910 mm
Weight:	Less than 60/60/97/97 kg
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Operation: Maximum 1.4/1.4/1.5/1.5 kW

PRINTER (OPTION)

Print speed:	25/33/40/50 prints per minute
Printer language:	Standard: PCL5e, PCL6, RPCS™ Option: Adobe® PostScript® 3™ IPDS
Resolution:	Maximum 600 x 600 dpi (2,400 x 600 dpi with smoothing)
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX, Option: Bi-directional IEEE 1284, Wireless LAN, Bluetooth, Gigabit Ethernet
Memory:	512 MB + 40 GB HDD
Network protocol:	TCP/IP, IPX/SPX, AppleTalk
Supported environments:	Windows® Me/2000/XP/Vista/Server 2003, Novell® NetWare® 3.12/3.2/4.1/4.11/5.0/5.1/6/6.5, UNIX Sun® Solaris 2.6/7/8/9/10, HP-UX 10.x/11.x/11iv2, SCO OpenServer 5.0/6/5.0.7, RedHat® Linux 6.x/7.x/8.x/9.x/Enterprise, IBM® AIX v4.3/5L v5.1/5L v5.2/5.3, Macintosh 8.6 or later (OS X Classic), Macintosh X v10.1 or later (native mode), SAP® R/3® (3.x or later), NDPS Gateway Netware 5.1 (SP8 or later)/6.0 (SP5 or later)/6.5 (SP3 or later), IBM® iSeries / AS/400 using OS/400 Host Print Transform

SCANNER (OPTION)

Scan speed:	B/W: Maximum 50/50/61/61 ppm
Resolution:	Maximum 600 dpi (TWAIN: 1,200 dpi)
Original size:	A5 - A3
Bundled drivers:	Network TWAIN
Scan to e-mail:	SMTP, TCP/IP
Scan to folder:	SMB, FTP, NCP protocol (with login security)

SOFTWARE SOLUTIONS (OPTION)

SmartDeviceMonitor™, Web SmartDeviceMonitor™ 2, Web Image Monitor, DeskTopBinder™ Lite

FAX (OPTION)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3, ITU-T (T.37) Internet Fax, ITU-T (T.38) IP Fax
Modem speed:	Maximum: 33.6 Kbps
Scanning speed:	39/39/56/56 cpm (200 x 100 dpi, A4/SEF)
Memory capacity:	12 MB standard, 44 MB max.
Memory backup:	Yes

OTHER OPTIONS

Platen cover, 50-sheet ARDF (MP 2550B/3350B), 100-sheet ARDF (MP 4000B/5000B), Bypass tray (MP 2550B/3350B), 2 x 500-sheet paper trays (MP 2550B/3350B), 2 x 550-sheet paper trays (MP 4000B/5000B), 1,200-sheet LCT (MP 4000B/5000B), 2,000-sheet LCT, 125-sheet one-bin tray, 500-sheet finisher (MP 2550B/3350B), 1,000-sheet finisher, 3,000-sheet finisher (MP 4000B/5000B), 1,000-sheet booklet finisher (MP 2550B/3350B), 2,000-sheet booklet finisher (MP 4000B/5000B), Punch kits (2/4 switchable hole punch, Scandinavian 4 hole punch), Internal shift tray (MP 2550B/3350B), Bridge unit, Low cabinet, Duplex unit (MP 2550B/3350B), 256 MB memory unit, Data Overwrite Security Unit, Copy Data Security Unit, HDD Encryption Unit, File format converter, VM card, Browser unit, Key counter bracket, Counter interface unit, Interchange unit (MP 2550B/3350B), RPCS™ printer unit, Fax marker (MP 4000B/5000B), 2nd super G3 port, Printer upgrade unit, Scanner upgrade unit, Professional software solutions

Gestetner has designed these products to meet EC ENERGY STAR guidelines for energy efficiency.

For availability of models, options and software, please consult your local Gestetner supplier.



ISO9001 certified, ISO14001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2011 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.