

**Intelligent multitasking made
easy**



More. For less.

Get more work done in less time whilst reducing costs and saving space. With the compact SP 4400S series, it couldn't be simpler. These smart multifunctionals are extra easy to use. They push productivity further, right across the board. Benefit from rapid output and a fast first print. Save on paper with auto duplex printing - plus cut energy costs thanks to minimum power consumption. Share powerful print, copy and scan functionality throughout your workgroup. No matter how hectic your work schedule is, the SP 4400S, SP 4410SF and SP 4420SF desktop devices are always ready to deliver.



- Rapid 38 ppm A4 output.
- Mono print, copy and colour scan.
- Compact, cost efficient, easy to use.
- Standard auto duplexing and networking.
- Fax capability and expandability options.

Simple multitasking solutions



PRODUCTIVITY WITH A PLUS

Get off to a flying start with short warm-up and a fast first output of 6.5 seconds or less. Meet the tightest deadlines with high speed output at 38ppm per minute. An automatic document feeder speeds up input and enables rapid duplex copying and scanning of two-sided originals. Also a total paper supply capacity of 850 sheets, thanks to the optional tray, meets the needs of the busiest offices.



ONE COMPACT UNIT

With one compact machine doing the work of many, you save considerable office space. This slimline multifunctional enables easy placement, out of the way. Furthermore, as you don't need to buy up to three or four separate standalone machines, it significantly cuts your investment costs.




EASE AT EVERY STEP

An ultra-large, intuitive colour touch screen gives you easy, one-touch access to all functions. Scan directly to your flash drive with the frontal USB port – and take advantage of direct USB printing. Full front access makes replacing consumables simple. Our @Remote service automatically provides meter reading data.



COST CUTTER

Superfluous colour output is one of the highest print costs an office has to carry. Produce professional black and white A4 documents, without wasting money on expensive colour consumables. Standard double-sided output cuts your paper costs considerably. You also benefit from lower power costs, thanks to built-in energy-efficient technology. Plus durability ensures a longer machine lifetime.



CHOOSE YOUR CONFIGURATION

The SP 4400S offers full print, copy and colour scan functions for highly effective general office use. Add fast and flexible PC faxing to these features with the 4-in-1 SP 4410SF. Or go the whole way with the SP 4420SF. It has 256 MB of RAM and an 80 GB hard disk as standard, for expanded functionality.

SEAMLESS NETWORKING

All models are network ready and easy to set up. Connected workgroup users can print documents and colour scan effortlessly, direct from their PCs. Advanced network security functions protect your data, documents and device. The SP 4420SF even has a wireless connectivity option for cable-free convenience.



SIMPLE SCANNING

Enjoy simple scan operation, flexibility and scalability with Streamline NX. This advanced scanning solution is easy to manage, reliable and enables error-free scanning. Scan direct to email recipients, to PDF format or to a folder at a touch. It's that easy.

GENUINELY GREEN

Gestetner products are designed to be environmentally friendly at every stage of their life. Our low-energy toner production methods are unique. Quick Start-up technology results in optimised use of the energy saver mode. Power consumption is low and operation clean and quiet. As an extra contribution to sustainable business, these multifunctionals offer automatic duplexing as standard.



SP 4400S/SP 4410SF/SP 4420SF Aficio™

PRINTER

Print speed:	38 prints per minute
Printer language:	Standard: PostScript 3 Emulation, PCL6 Emulation, PDF v1.6 emulation, HTML, XPS, Direct Image
Memory:	Standard: SP 4400S/SP 4410SF: 128 MB SP 4420SF: 256 MB Maximum: 640 MB HDD: 80 GB
Resolution:	Maximum 1,200 x 1,200 dpi
Supported environments:	Windows® XP/Vista/Server 2003/Server 2008, UNIX Sun® Solaris 8/9/10, HP-UX 10.x/11.x/11iv2/11iv3, RedHat® Linux 6.x/7.x/8.x/9.x/Enterprise, IBM® AIX v5L v5.2/5.3/6.1, Macintosh X v10.2 or later, IBM iSeries/AS400 using OS/400 Host Print Transform, Citrix Presentation Server 4.5
Fonts:	PCL6: 89 scalable fonts, 2 Bitmapped fonts, PostScript: 91 scalable fonts
Interface:	Standard: USB 2.0, Ethernet 10 base-T/100 base-TX

COPIER

Copy speed:	38 copies per minute
Resolution:	600 dpi
Multiple copy:	Up to 999
Warm-up time:	Less than 155 seconds
First output speed:	6.5 seconds
Zoom:	25 - 400% (in 1% steps)
Paper input capacity:	Standard: 250-sheet paper tray 50-sheet bypass tray Maximum: 850 sheets
Paper output capacity:	Maximum: 150 sheets
Paper size:	A6 - A4
Paper weight:	Paper trays: 60 - 90 g/m ² Bypass tray: 60 - 163 g/m ²
Duplexing:	Standard
Dimensions (W x D x H):	488 x 438 x 546 mm
Weight:	Less than 22.7 kg
Power source:	220 - 240 V, 50 - 60 Hz
Power consumption:	Maximum: 560 W Energy saver mode: 24 W

SCANNER

Scan speed:	Maximum 33 originals per minute
Resolution:	Maximum 600 dpi
Original size:	A6 - A4
Bundled drivers:	Network TWAIN

FAX (SP 4410SF/SP 4420SF)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Modem speed:	Maximum: 33.6 Kbps
Resolution:	Standard: 200 x 100 dpi Fine: 200 x 200 dpi Superfine: 300 x 300 dpi Ultrafine: 600 x 600 dpi

CONSUMABLES

Toner:	14,000 sheets (return program toner cartridge) ¹ 14,000 sheets (non-return program toner cartridge) ¹
Photo Conductor Unit:	30,000 sheets

OPTIONS

250-sheet paper tray
550-sheet paper tray
128/256/512 memory unit²
Hard Disk Drive
IEEE802.11 interface unit

¹ Measured by manufacturer based on 5% coverage, actual yield will vary according to usage.

² SP4420SF: 128 MB memory needs to be removed when adding optional memory module.

For availability of models, options and software, please consult your local Gestetner supplier.

SCANNER

Scan speed:	Maximum 33 originals per minute
Resolution:	Maximum 600 dpi
Original size:	A6 - A4
Bundled drivers:	Network TWAIN

FAX (SP 4410SF/SP 4420SF)

Circuit:	PSTN, PBX
Compatibility:	ITU-T (CCITT) G3
Modem speed:	Maximum: 33.6 Kbps
Resolution:	Standard: 200 x 100 dpi Fine: 200 x 200 dpi Superfine: 300 x 300 dpi Ultrafine: 600 x 600 dpi

ISO9001 certified, ISO14001 certified, ISO27001 certified

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure. The images in this brochure are not real photographs and slight differences in detail might appear.

Copyright © 2012 Ricoh Europe PLC. All rights reserved. This brochure, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of Ricoh Europe PLC.



Gestetner

www.gestetner.com

For more information,
please contact